



MONTRA
— ELECTRIC —

125
Years Trust

| of |



murugappa

ePowering Prosperity





No Pollution

Breathe Easy, Work clean



Low TCO

Farming Made Smarter



Less Vibration

Smoother Rides, Healthier you



Ready to Roar

Built to Perform



E-Tractor Specifications

Specifications*		Montra Electric E-27
Powertrain	Max Power	27HP
	Motor	PMSM
	Equivalent Max Torque	90Nm
	Variants	2WD / 4WD
Battery Pack and Charger	Type	LFP Prismatic cells
	Capacity	22.37kWh (304AH)
	Charging Voltage	72V
	Runtime	Dependent on application and soil condition
	Max Charger Capacity	6.3kw
Transmission	Type	Side Shift
	Number of Gears	8 Forward + 2 Reverse
PTO	Max PTO Power	22.16HP
	PTO Mode	Toggle Type Dual Speed
	PTO Speed	540 & 1000 rpm
Hydraulics	Hydralualics Lifting Capacity	720 kg
Tyres	Tyre Type	Agricultural tyres (with Tube)
	Front Tyres	5.25*14 (2WD) 6*12 (4WD)
	Rear Tyres	8.3*24 (2WD & 4WD)

TI Clean Mobility Private Limited Tractor Business

Survey No.780/1A1, and 782/2B,
Gold Parks Private Limited,
Kuthambakkam Village,
Chembarambakkam,
Chennai, Thiruvallur, Tamilnadu 602 103.
Email:- Info@ticm.murugappa.com

